


RUBTILER

**RUBBER FLOORING FOR
GYM & FITNESS**



2024



WHO WE ARE?


- manufacturer of the best quality RECYCLED RUBBER (RR) granule for rubber products
- one of the largest recyclers of used tyres in Europe
- thanks to our selective collection of tyres and innovative production line, we make the purest RR granulate on the market
- the Rubtiler factory, located in the center of Poland, has a modern and automated production line to produce rubber tiles and mats, which makes the brand the leader in global markets

RUBTILER'S OFFER

- rubber surfaces and accessories for gyms, fitness rooms and crossfit zones
- safe rubber tiles for playgrounds and outdoor recreation facilities
- flexible exterior architectural elements for urban areas, home and garden
- vibration insulating mats used in the industry, construction, and the railway sector
- road infrastructure elements
- animal breeding surfaces

WHY RUBTILER?

- a guarantee of the highest standards of the production - monitoring of every stage, from tyre selection to tile shipment control
- modern technologies - the automated production line guarantees high repeatability of the products and the highest quality on the market
- all products are subjected to the laboratory tests, long-term strength and functional tests
- our products have the required certificates: CFL and DFL (flammability certificates), HIC (fall safety certificate), TÜV Nord Certificate (antivir and bacteriostatic)
- easy and reliable installation of our products
- possibility to mark and personalize products according to the Customer's project
- professional advice on the selection of appropriate assortment and after-sales service
- short delivery times



RUBBER

EQUIPMENT

WHAT MAKES US DIFFERENT

At Rubtiler, we carry out complex recycling of used car tires – from their selection to the production of rubber components. This is possible by one of the most advanced machineries in Europe. We use only truck tires of well-known brands from Western Europe, which enables us to produce RR granules of the best properties. The quality of the granulate determines the quality and durability of the products. The multi-stage removal of contamination leads to product **purity of 99.9%**, which distinguishes the quality of our products on a global scale.

EVIDENCES

We focus on high quality, which is confirmed by such certificates as:

- REACH Declaration of Conformity
- ISO 9001:2015
- TÜV NORD Certificate Proven Product
- VOC EMISSION TEST REPORT Indoor Air Comfort GOLD® – VOC FREE
- technical specification EN 14041:2004/AC:2006
- acoustics – airborne sound insulation measurement PN-EN ISO 10140-2:2021-10
- acoustics – impact sound insulation measurement PN-EN ISO 10140-3:2021-10
- classification in the field of reaction to fire CFL-S1, DFL-S1, EFL, PN-EN 13501-1:2019
- HIC (Head Injury Criterion) up to 3.4 m
- Guarantee of the highest quality – Rubber Plates 5 kg, 10 kg, 15 kg, 20 kg




WE WORKOUT WITH THE BEST



Mateusz Kieliszkowski

2nd place at the Arnold Strongman Classic
2023 & 2024



GYM FLOORING FOR FITNESS	8	FITNESS ZONE AND SLED TRACK	20
STANDARD TILES	10	RUBBER BUMPER PLATES	22
PREMIUM TILES	11	OUTDOOR GYM	24
SLICE	12	RUBTILER COLOUR COMBINATIONS	26
OVERLAYER	13		
CROSSFIT AND FREE WEIGHTS	14		
R-PAD WITH 4-PIN CONNECTOR	16		
LOW ANTISHOCK	18		
DEAD LIFT PLATFORM	19		





FREE WEIGHT



CARDIO & STRENGTH



MACHINE



CROSSFIT



FITNESS



SOUNDPROOF



4 - PIN



VOC FREE




GYM FLOORING FOR FITNESS

PROTECT FLOORS AND REDUCE NOISE

RUBTILER - professional rubber mats and tiles manufactured exclusively in Poland. Available in a wide range of sizes, finishing and heights, perfect for both commercial and residential applications. As an expert in rubber products, we ensure that the solution you get, is designed as well as manufactured for your specific need.


IMPORTANT FEATURES

- square and puzzle shape
- anti-slip protection
- sound absorbing properties
- protection against injury
- surfaces **STANDARD, SLICE, PREMIUM** and **OVERLAYER**
- easy assembly (DIY) and maintain
- high repeatability
- safe and esthetic edging
- 4 PIN CONNECTOR
- VOC FREE
- NOISE REDUCTION (sound insulation tested)
- Available material with fire classification




EDGE

SHARP



EDGE

BEVELLED




TYPE

PUZZLE
AAAAAAAA

TYPE


SQUARE
AAAAAAAA



GYM FLOORING FOR FITNESS

STANDARD TILES

PROTECT FLOORS AND REDUCE NOISE



IMPORTANT FEATURES

- recycled rubber tiles (RRT)
- density up to 1100 kg/m³
- adhesive is not mandatory
- available with beveled edges or puzzle cut edging ramp
- straight and corner edging ramps for squares or puzzles
- perfect for gym chains and heavy ware usage

RUBTLER RRT STANDARD PUZZLE/SQUARE WITH OR WITHOUT MOSAIC

WIDTH	LENGTH	HEIGHT
980 mm	980 mm	10-30 mm
1000 mm	1000 mm	10-60 mm



GYM FLOORING FOR FITNESS

PREMIUM TILES

PROTECT FLOORS AND REDUCE NOISE





IMPORTANT FEATURES

- recycled rubber tiles (RRT)
- density up to 1100 kg/m³
- adhesive is not mandatory
- smooth top layer surface and premium look
- available with beveled edges or puzzle cut edging ramp
- straight and corner edging ramps for squares or puzzles

RUBTLER RRT PREMIUM PUZZLE/SQUARE WITH OR WITHOUT MOSAIC


WIDTH	LENGTH	HEIGHT
980 mm	980 mm	10-30 mm
1000 mm	1000 mm	10-60 mm



GYM FLOORING FOR FITNESS

SLICE

PROTECT FLOORS AND REDUCE NOISE




IMPORTANT FEATURES

- recycled rubber RRT
- uniform surface
- individual piece cut from a larger slab
- lack of bevels makes this product recommended for weight pulling zones, as the performance of workouts is smoother or to free weights area
- density up to 1100 kg/m³

RUBTLER RT SLICE PUZZLE/SQUARE BLACK WITH OR WITHOUT MOSAIC


WIDTH	LENGTH	HEIGHT
980 mm	980 mm	6-15 mm
490 mm	490 mm	10 mm



GYM FLOORING FOR FITNESS

OVERLAYER

PROTECT FLOORS AND REDUCE NOISE




IMPORTANT FEATURES

- extreme durable layer with density up to 1100 kg/m³
- both layers laminated in hot process - perfect bond guaranteed
- 3 different bottom patterns: flat, antishock, R-PAD
- recycled rubber RRT and/or virgin EPDM
- premium look and super smooth surface

RUBTLER RT OVERLAYER SQUARE/PUZZLE

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	20-60 mm
1000 mm	500 mm	20-60 mm
980 mm	980 mm	10-30 mm



RUBTLER RT SLICE PUZZLE/SQUARE BLACK WITH OR WITHOUT MOSAIC



-  FREE WEIGHT
-  CARDIO & STRENGTH
-  MACHINE
-  CROSSFIT
-  SOUNDPROOF
-  4 - PIN
-  VOC FREE
-  ANTISHOCK
-  NOISE REDUCTION




CROSSFIT AND FREE WEIGHTS

PROTECT FLOORS AND REDUCE NOISE

Our ANTISHOCK SHIELD solution is perfect for use in free weight areas due to the excellent impact and sound absorbing properties. ANTISHOCK tiles are most popular as for cross fit, commercial gym flooring, weight room tiles, under gym machinery, as 2nd-floor gym flooring, as mats for Olympic lifting and much more. This flooring provides superior protection to the surface underneath, as the rubber studs shield compress under pressure to reverse the weight hit from the surface.

IMPORTANT FEATURES

- anti-slip protection
- sound and shock absorbing qualities:
ΔLw up 21 dB, ΔRw up to 55 dB
- protection against injury
- surfaces STANDARD, PREMIUM, OVERLAYER
- easy assembly (DIY)
- fire resistance: EFL, DFL and CFL certificate



RUBTILER RRT ANTISHOCK STANDARD/PREMIUM/MOSAIC/OVERLAYER

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-65 mm
1000 mm	500 mm	25-65 mm
500 mm	500 mm	25-65 mm



RUBTILER RRT ANTISHOCK with fire classification EFL, DFL-S1, CFL-S1


WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-65 mm
1000 mm	500 mm	25-65 mm
500 mm	500 mm	25-65 mm

3 BOTTOM PATTERNS:



R-PAD



low antishock



antishock




CROSSFIT AND FREE WEIGHTS

R-PAD WITH 4-PIN CONNECTOR



RUBBER TILE CONNECTOR

IMPORTANT FEATURES

- easy instalation with no adhesives
- compact and rigid matching
- move and replace individual tiles
- 4-PIN connector system for R-PAD and flat tiles
- customization of the bottom



UP TO 5 CONNECTORS
PER LINEAR METRE
DEPENDING ON
INSTALLATION WAY
AND TILE SIZE



RUBTILER R-PAD BOTTOM DESIGN heavy-duty with maximum shock absorbtion and anti-fatigue properties

R-PAD SQUARE WITH 4-PIN CONNECTOR

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	20-60 mm
1000 mm	500 mm	20-60 mm
500 mm	500 mm	20-45 mm



CROSSFIT AND FREE WEIGHTS

LOW ANTISHOCK

PROTECT FLOORS AND REDUCE NOISE


Our ANTISHOCK SHIELD solution is perfect for use in free weight areas due to the excellent impact and sound absorbing properties. ANTISHOCK tiles are most popular as for cross fit, commercial gym flooring, weight room tiles, under gym machinery, as 2nd-floor gym flooring, as mats for Olympic lifting and much more. This flooring provides superior protection to the surface underneath, as the rubber studs shield compress under pressure to reverse the weight hit from the surface.

IMPORTANT FEATURES

- anti-slip protection
- sound and shock absorbing qualities:
ΔLw up 21 dB, ΔRw up to 55 dB
- protection against injury
- easy installation (DIY) with no adhesives
- surfaces STANDARD, PREMIUM, OVERLAYER
- high repeatability
- VOC FREE
- CFL-S1, DFL-S1 and EFL fire certificate

RUBTILER RRT ANTISHOCK STANDARD/MOSAIC/OVERLAYER

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-65 mm
1000 mm	500 mm	25-65 mm



CROSSFIT AND FREE WEIGHTS

DEAD LIFT PLATFORM

DF PLATFORM RUBTILER STRIKE

To maximize floor space while delivering sound and vibration properties, we created the Rubtiler DF Deadlift platform specifically suited for deadlifts. The fitness platform ensures that the impact of the fall is absorbed during weight dropping, providing you with a safer and more controlled lifting gym environment. No more worries about weights bouncing back or rolling away.

IMPORTANT FEATURES


- anti-slip protection
- sound and shock absorbing qualities:
ΔLw up 21 dB, ΔRw up to 55 dB
- protection against injury
- R-pad bottom
- 12 tiles, optionally wooden or Villerock panels* in the middle section
- DIY installation
- steel powder-coating


DF PLATFORM RUBTILER STRIKE

WIDTH	LENGTH	HEIGHT
3000 mm	2000 mm	40-50 mm



* more info on the last page





CROSSFIT



FITNESS



SOUNDPROOF



VOC FREE



RUNNING




FITNESS ZONE AND SLED TRACK

RUBTILER SLED GRASS

RUBTILER tiles with artificial grass offer a safe, flexible space to practice new routines and weight training. Compatible with Rubtiler flooring.


IMPORTANT FEATURES

- LONG and SHORT pile height
- green and black colour
- resistant to heavy loads
- finishing accessories
- simple installation and removal (DIY)
- does not deform
- two shapes PUZZEL and SQUARE



RUBTILER SLED GRASS PUZZLE GREEN/BLACK

WIDTH	LENGTH	HEIGHT
980 mm	980 mm	10-30 mm



RUBTILER SLED GRASS SQUARE GREEN/BLACK

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	10-30 mm





FREE WEIGHT



MACHINE



CROSSFIT



VOC FREE



RUBBER BUMPER PLATES

FREE WEIGHTS

RUBBER BUMPER PLATES made of RR with a stainless steel sleeve with the possibility of customised logotype.

IMPORTANT FEATURES

- very durable rubber compound
- weight 5 kg, 10 kg, 15 kg, 20 kg
- diameter 45 cm
- certified, high impact resistance (20 000 throws - no signs of wear)
- stainless steel protection sleeve
- smooth surface with embossed grammage and logo
- different colour versions
- high quality finish thanks to precisely designed forms
- customised logotype on request
- VOC FREE



RUBTILER RR BUMPER PLATE

DIAMETER	WEIGHT
450 mm	5x10x15x20 kg



RUBTILER RR BUMPER PLATE MOSAICS

DIAMETER	WEIGHT
450 mm	5x10x15x20 kg



RUBTILER RR BUMPER PLATE VIR&BACT

DIAMETER	WEIGHT
450 mm	5x10x15x20 kg





CROSSFIT



4 - PIN



VOC FREE



RUNNING



HIC




OUTDOOR GYM

OUTDOOR SOLUTIONS

RUBTILER outdoor tiles are made from high quality recycled rubber and EPDM granules. Designed to keep you safe while exercising at the gym or athletic areas. The tiles are weatherproof, easy to maintain and have a long-lasting durability thanks to a proper drainage system. Perfect product for multifunctional sport courts and recreation areas.


IMPORTANT FEATURES

- fall height certified up to 340 cm HIC-RUBTILER system
- non-slip surface
- noise, shock, and thermal insulation
- available with UV protection
- water permeable for proper drainage
- laid on concrete screed, asphalt, well-hardened aggregate foundation
- perfect solution for home playground (CrossFit, football, badminton, tennis, etc.)
- easy installation and removal (DIY)
- possibility to cut tiles to fit equipment or irregular surface shapes
- VOC FREE



RUBTILER RRT DRAINAGE OUTDOOR GRILL

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-65 mm
500 mm	500 mm	25-65 mm



RUBTILER RRT ANTISHOCK OUTDOOR

WIDTH	LENGTH	HEIGHT
1000 mm	1000 mm	25-65 mm
1000 mm	500 mm	25-65 mm
500 mm	500 mm	25-65 mm




RUBTILER RR CURBS

WIDTH	LENGTH	HEIGHT
750 mm	250 mm	45 mm



RUBTILER RR EDGES/RAMPS

WIDTH	LENGTH	HEIGHT
1000 mm	150 mm	25-60 mm



RUBTILER COLOUR COMBINATIONS


EPDM




RAL1002



RAL2008



RAL3016



RAL5015



RAL6011




RAL7038




RAL9004


RECYCLED RUBBER RR



CORAL RED




BLUE




GREEN




GRAY



MOSAIC 10%



MOSAIC 10%



MOSAIC 10%



MOSAIC 10%

Request a sample from your Rubtiler partner



That's less complicated than it looks!

LOOK AT OUR SUSTAINABLE FUTURE

VILLEROCK

Mineral Hybrid Core

100% WATERPROOF
STAIN RESISTANT
EASY INSTALLATION

Vinderen introduced in 2023 new, innovative solutions and a high-quality panels. UNILIN's UNICLIC technology guarantees easy installation, while MHC (Mineral Hybrid Core) is a breakthrough in SPC panels, combining great durability with exceptional look. It is a perfect flooring solution for gyms, receptions, corridors, and locker rooms.

FLOORING FOR GYM AND FITNESS



100%
WATERPROOF



SOUND
REDUCTION



EASY
CLEANING



SCRATCH
PROTECTION



INTENSIVE
USE



UV
PROTECTION



EASY
MOUNTING



ONE MAN
INSTALLATION



EASY
TO CUT

THE NEW GENERATION OF FLOOR PANELS



UTILITY CLASS: 33

WIDTH: 127 mm

LENGTH: 635 mm

TOTAL THICKNESS: 5 mm

PRODUCED UNDER LICENSE OF
UNILIN TECHNOLOGIES

